SUPPLEMENTARY INFORMATION

for

Current status of fine particulate matter ($PM_{2.5}$) in Vietnam's most populous city, Ho Chi Minh City

To Thi Hien^{1,*}, Nguyen Doan Thien Chi¹, Nguyen Thao Nguyen¹, Le Xuan Vinh¹, Norimichi Takenaka², Duong Huu Huy³

¹Faculty of Environment, University of Science, Vietnam National University – Ho Chi Minh City. 227 Nguyen Van Cu Street, District 5, Ho Chi Minh City, Vietnam.

²Graduate School of Humanities and Sustainable System Sciences, Osaka Prefecture University. 1–1 Gakuen–cho, Naka–ku, Sakai–shi, Osaka 599–8531, Japan

³Faculty of Food Science and Technology, Ho Chi Minh City University of Food Industry. 140 Le Trong Tan Street, Tan Phu District, Ho Chi Minh City, Vietnam.

*Corresponding author.

Tel: 84-8-38304379; Fax: 84-8-38304379; E-mail: tohien@hcmus.edu.vn




Fig. S1. Correlation between continuous $PM_{2.5}$ concentration ($\mu g \ m^{-3}$) and filter-based $PM_{2.5}$ concentration ($\mu g \ m^{-3}$) at the RO1 site during Mar 2017 – Mar 2018.




Fig. S2. Hourly traffic flow at the RO1 site (Nguyen Van Cu Street)




Fig. S3. Diurnal variation of O_3 at the RO1 site during Mar 2017 – Mar 2018. (a) rainy season, (b) dry season. Figures plotted using the timeVariation function in Openair.




Fig. S4. Windrose at the RO1 site during Mar 2017 – Mar 2018. Figures plotted using the windRose function in Openair.

Table S1: Overviews of study sites

Sites	Co-ordinate	Туре	Pollutants	Number of PM _{2.5} sample
RO1 (*)	10.7626° N, 106.6819° E	Roadside	PM _{2.5} (filter-based and continuous), PM ₁₀ , NOx, CO, O ₃ , meteorological station	90
RO2	10.78° N, 106.6872° E	Roadside	PM _{2.5}	91
RE1	10.7717° N, 106.6839° E	Residential	PM _{2.5}	84
RE2	10.7952° N, 106.7344° E	Residential	PM _{2.5}	96
UB	10.7869° N, 106.7067° E	Urban background	PM _{2.5}	90
RU(**)	10.615° N, 106.8156° E	Rural	PM _{2.5}	14

Notes: (*): Continuous PM_{2.5} (FH62C14), NOx (42i), CO (48i) and O₃ (49i) are measured by Thermo suite at RO1 site.

(**) seven $PM_{2.5}$ samples were collected in each season (i.e. dry and rainy seasons).